



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/240,509	01/29/1999	HARI KALVA	AP31569	7416

21003 7590 10/21/2004

BAKER & BOTTS
30 ROCKEFELLER PLAZA
NEW YORK, NY 10112

EXAMINER

PRIETO, BEATRIZ

ART UNIT	PAPER NUMBER
----------	--------------

2142

DATE MAILED: 10/21/2004

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

**BEFORE THE BOARD OF PATENT APPEALS
AND INTERFERENCES**

Application Number: 09/240,509
Filing Date: January 29, 1999
Appellant(s): KALVA ET AL.

MAILED

OCT 21 2004

Technology Center 2100

Paul A. Ragusa (Reg. No. 38,587)
For Appellant

EXAMINER'S ANSWER

This is in response to the appeal brief filed 07/02/04.

(1) *Real Party in Interest*

A statement identifying the real party of interest is contained in the brief.

(2) *Related Appeals and Interferences*

A statement identifying the related appeals and interferences, which will directly affect or be directly affected by or have a bearing on the decision in the pending appeal is contained in the brief.

(3) *Status of Claims*

The statement of the status of the claims contained in the brief is correct.

(4) *Status of Amendments*

The appellant's statement of the status of amendments contained in the brief is correct.

(5) *Summary of the Invention*

The summary of the invention contained in the brief is correct.

(6) *Issues*

The appellant's statement of the issues in the brief is correct.

(7) *Grouping of Claims*

Appellant's brief includes a statement that claims of the following groups of claims stand or fall together and proved reasons as set forth in 37 CFR 1.192 (c) (7) and (c) (8).

Group I: claims 1-7 and Group II: claims 8-14.

(8) *Claims Appealed*

The copy of the appealed claims contained in the Appendix A to the brief is correct.

Art Unit: 2142

(9) *Prior art of record*

The following is a listing of the prior art of record relied upon in the rejection of claims under appeal.

(i) Wired For Speed: Efficient Routes in VRML 2.0, Woods, et. al., Silicon Graphics, VRML 97, ACM 0-89791-886, Monterey, CA 1997 pages 133-138 (Woods hereafter)

(i) D7.2 Review of VRML and WWW Techniques, ACTS Project, COVEN-Collaborative virtual environments, pages 1-33 (COVEN hereafter)

(10) *Grounds of Rejection*

The following ground(s) of rejection are applicable to the appealed claims: Claims 1-14 are presented for examination.

2. The following is quotation of 35 USC §103(a), which forms the basis for all obviousness rejection, set forth in this Office action:

(a) A patent may be not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art of record are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-14 are rejected under 35 U.S.C. §103(a) as being unpatentable over Woods et. al. Wired for Speed: Efficient Routes on VRML 2.0 in view of Coven-Collaboration virtual environment (referred to as Woods and Coven, respectively hereafter).

4. Claims 1-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Woods et. al. (Woods) Wired for Speed: Efficient Routes on VRML 2.0 in view of Coven-Collaborative virtual environments (Coven), April 1997.

Regarding claims 1 and 8, Woods teaches features of invention substantially as claimed; Woods teaches a system/method supporting communicating command information between a VRL nodes for sending (source) and receiving (destination) data via routes (section 2.1-2.2), said nodes include a player VRML browser (client) (abstract), interactive communication between said nodes consisting of request-response

Art Unit: 2142

model (section 2.3, i.e. client-server model) across a network (sections 2.2-2.3, client browser, configured to request data and receive arrival of requested data through a network) comprising:

- generating (firing) a command message associated with a user action or system event associated with streams containing scene description information (e.g. scene source nodes), command message including

- a command (eventIn, see sections 1.1-2.2, command routes, section 4.1 commands, i.e. execute fields), a command descriptor (event fields, see section 4.1), and one of a source node route (command routes-rendering scene means, section 2.2-2.3) and

- a command node (execute event sink field i.e. command route node, see sections 2.1 and 4.1); wherein event source/sink routes support interaction between a source of the route and a destination of the route (see section 2.1, such as firing a “TimeSensor” node scene in the interaction VRML model, interactivity-model is request-response between a requesting source and a responding destination nodes, section 2.3); and

- transmitting the command message upon occurrence of a user or system-triggering event (e.g. Touchsensor node scene, see 2.1 section, user or system events, see 2.2, source/sink route, user or system triggering event, message (request) transmission, message (response) receipt, using event source/sink routes, section 2.3, said messages to support said node scenes); however Woods does not explicitly teach a server route (“directly”) associating a node with a command descriptor;

- Coven discloses a server route (“directly”) associating a node with a command descriptor and a command node (“indirectly”) associating a node with the command descriptor, wherein

- a command route (e.g. eventIn SFFloat set_fraction) is executed when an event command is received on the execute field associated with a object node scene, e.g. from a TouchSensor node (section 2.2.2 pages 6-7);

- the execution of command route is associated with a command descriptor (e.g. exposedField MFFloat key, exposedField MFVec4f keyValue) (e.g. the orientation values are used by the object node scene to execute specified animated spinning effect) (Figs. 2-1 of section 2.2.2 and route commands of Fig. 2-2, pages 6-7);

- a server route command supporting server interaction is executed when event command is received on the execute field (e.g. field SFBool directOutput FALSE) associated with a object node scene (“SFBool”), the command is communicated to the server as specified by the command descriptor to the server (e.g. exposedField MFString url) (see section 4.3.1 to 4.3.1.1, see Figs. 4-2 to 4-4 on pages 20-21)

Art Unit: 2142

exchanging the command message across a network upon the occurrence of a triggering event (section 4.4.2, trigger events on page 25, user process server interaction, section 4.3 on page 19-20, section 4.2.3.4 on page 19, communication over the network (Fig. 4-1, section 4.2.2 on page 14-16).

It would have been obvious to one ordinary skilled in the art at the time the invention was made to utilize Coven's disclosure server route ("directly") associating a node with a command descriptor, motivation would be for supporting multi-user interaction among remote client and between clients and multiple suppliers via the MUtech, as indicated by Coven.

Regarding claims 2-3, generating command message, discussed above is consistent with local interactivity model defined in MPEG-4 (COVEN: generation of commands, section 4.3.1 on page 20 and MPEG-4 data page 25). Also Admittance of prior art (MPEP § 2129) Applicant disclosure states: "MPEG-4 essentially uses two modes of interactivity: local and remote. Local interactivity can be fully implemented using the native event architecture of MPEG-4 interactivity can be fully implemented using the native event architecture of MPEG-4 BIFS (Binary Format for Scenes), which is based on the VRML 2.0 ROUTEs design and documented in Part 1 of the MPEG-4 specification (Systems), see page 1, lines 26-33. It would have been obvious to one ordinary skilled in the art at the time the invention was made to utilize an interactivity model defined in MPEG-4, the new VRML 2.0 specification, enables much more dynamic and interactive environments supported by the convergence of these technologies; motivation would be to provide via MPEG-4 a real service on desktop application enhancing the tele-presence and shared virtual reality space technology.

Regarding claims 4-5, the triggering event is a mouse clicks and wherein the triggering event is a timer signal (Woods, see 2.1 section).

Regarding claims 6-7, command information is transmitted from the server to the client and wherein command information is transmitted from the client to the server (Woods, message between a provider node and a player VRML browser client node, request/response, see 2.1-2.3, request e.g. change state of current scene, response update and rendering requested scene)

Regarding claims 9-14, the claim comprise the system in accordance to the method disclosed on claims 1-7, respectively, same rationale is applicable.

Art Unit: 2142

(11) Response to Arguments

Regarding claim 1, it is argued (page 5) that the Woods reference does not disclose or suggest a route which targets a command descriptor, as required by claims 1 and 8, because the reference does not teach a command comprises information to be transmitted back to a server computer upon the occurrence of an associated event.

In response to the above-mentioned argument, claims 1 and 8, have been carefully reviewed, however, it is not found where in these claims there a recitation of; *“a command comprises information to be transmitted back to the server computer upon the occurrence of an associated event”*. There is further in claim 1, no recitation of *“a route which targets a command descriptor”*, as argued. Thereby, in response to applicant’s argument that the references fail to show certain features of applicant’s invention, it is noted that the features upon which applicant relies are not recited in the rejected claim 1 and 8. Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). Furthermore, with respect to the argued claim limitation feature, claim 1 recites, *“a server route for directly associated a node with the command descriptor”*. The claimed term *“server ROUTE”*, as set forth by the specification is interchangeable with the term *“command ROUTE node”* (specs. page 8, lines 20-30), specifically, a *“SERVER ROUTE”* is a ROUTE node command with the ID of the target command descriptor specified (specs page 10, lines 2-10), described as a modification to the standard MPEG-4 syntax (see Fig. 7). Specifically, *“SERVER ROUTE”* command is exemplified in its functionality and syntax is detail on in Fig. 9 of specification.

The COVEN reference teaches a server route for associating a node with the command descriptor on Fig. 4.2 of page 20. The ROUTE command node script includes

```
<< exposedField MFString url >>, << field SFBool directOutput FALSE >>
```

here the object node scene i.e. *“SFBool”*, the command route is executed when the event, e.g. the *“eventOut or exposed field”* on the execute field is executed, the execution by a browser execution engine involves communicating the command pointed by the command descriptor i.e. *“MFString url”* which contains a URL to command the command descriptor to a server. In this manner the prior art teaches a server route for associating a node with a command descriptor.

Regarding item 2 on page 6, Relevant Case Law and Procedure(s)

This section has been reviewed and considered by the examiner, however, it is not clear where is an argument set forth with respect to the applied reference(s). Specifically, it seems that none of the

Art Unit: 2142

applied references and/or claim limitation are mentioned. Thereby, it is not clear where or how is this section pertinent to instant application.

Regarding Item 2: Issues on Appeal section, with respect to claims 1-7, specifically, it is argued the Wood reference fails to teach the client server model described on claim 1.

Woods teaches a browser implementing VRML 2.0 processing ROUTEs between various eventOut and eventsIns in the scene, configured to generate events to sensors in the VRML scene graph and is configured to handle network generated events such as the arrival of requested data, the browser may received events from the network that may change the scene, and update the scene based on the events (section 2.2). The VRML 2.0 supports (client server modeling such as) a pull model in which messages are not sent until the recipient request data. Woods suggest a hybrid model (push & pull) including the transmission of data to update the scene to reflect the new changes on the scene based on the received event (as previously defined) using a pull model wherein the recipient of the message will request and received data (section 2.3). In this manner the prior art teaches the claimed (1) preamble's structure. Again, it noted that there are no client-server functions performed in the body of claim 1, to support the "client" "server" recitation entities in the preamble.

The COVEN reference teach where the VRML specification supports an Open Community which supports a portable multi-user interactive Java API with VVRML prototype layer, wherein the multi-user world may operate on any server that supports Open Community (section 4.2.3 on page 16). To support low latency interaction, the world mode is replicated to multiple networked applications processes, propagating messaged over the network (section 4.2.3.2). This Open Community also supports hybrid models including a (client-server) environment, where centralized server processes are used to provide services, including servers to support uses with low connections a server which intercepts all communications to/from the users, this data in the world model can communicated using graphic models, sound and behaviors represented by object identified by URLs (section 4.2.3.3 on page 17-18). In this manner the prior art teaches the claimed (1) preamble's structure.

Regarding claim 1, it is argued (page 6), that the Woods reference does not disclose or suggest a back-channel communication, which is required by the client-server arrangement of claims 1 and 8.

In response to the above-mentioned argument, claims 1 and 8 have been fully reviewed. In this case, the preamble of for example claim 1, recites: *a method for communicating command information*

Art Unit: 2142

between a server and a client across a network in an interactive communication system, comprising the steps of:

generating a command message including a command, a command descriptor, and one of a server route for directly associating a node with a command descriptor and a command node for indirectly associating a node with the command descriptor; and

transmitting the command message across a network upon the occurrence of a triggering event.

It is noted that: (i) with respect to the claim's preamble, there is no recitation of a computer, i.e. a client computer nor a server computer in the claim, given the broadest reasonable interpretation in light of the specification (see MPEP 2111), the "server" and "client" elements of the claim language are not required to be computers, they as well may be interpreted as process entities, (ii) with respect to the claim's preamble intended use, i.e. a method for communicating command information between a server and a client across a network in an interactive communication system, a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. In a claim drawn to a process of making, the intended use must result in a manipulative difference as compared to the prior art. See *In re Casey*, 152 USPQ 235 (CCPA 1967) and *In re Otto*, 136 USPQ 458, 459 (CCPA 1963).

It is noted that appellant is entitled to be his/her own lexicographer (MPEP §2111), the terms "client" and "server" may be broadly interpreted as processes, (claim does not require these to be computers), the term "interactive communication system", has been broadly interpreted as a system. Further, given the broadest reasonable interpretation to the claim's preamble and body it is not that there is no recitation of client and server functionalities, as argued. That is, there is no recitation of the features appellant relies on, i.e.: "a command comprises information to be transmitted back to the server computer" nor "a back-channel communication".

In this case, the structure given patentable weight is in its broadest form, two process entities communicating across a network. The Woods reference teaches a browser architecture configured to issue a data request and receive requested data through a network, this is an explicit client server communication exchange (see sections 2.2-2.3). In this manner, the prior art teaches communication between a client and a server across a network.

Art Unit: 2142

Regarding claims of Group II (claims 8-14), it is argued or at least it seems that claim 8 is patentable for the same reasons claim 1 is allegedly patentable.

In response to this section, it is noted that, appellant's grouping of claims states that the method and apparatus claims are separately patentable accordingly forming Groups I and II, indicating that these claims 1 and 8 of Groups I and II, respectively, do not stand or fall together (page 5). However, appellant explain that the claims of the group II are believed to patentable for the same reasons presented for Group I. Appellant has failed to provide a distinct and independent argument for each of the claims of Group I and II, as to why they are believed to be separately patentable. Because appellant's argument regarding the alleged patentability of the claims in Groups II is the same and solely based on arguments presented for Group I, therefore they are not independently patentable and fall together with claim 1 (see MPEP 1.192(c) (7)).

(12) Conclusion

The ultimate determination of patentability with respect to this application, must be based on consideration of the entire record, by a preponderance of evidence, with due consideration to the persuasiveness of any arguments and any secondary evidence. In re Oetiker, 977 F.2d 1443, 24 USPQ2d 1443 (Fed. Cir. 1992). The submission of objective evidence of patentability does not mandate a conclusion of patentability in and of itself. In re Chupp, 816 F.2d 643, 2 USPQ2d 1437 (Fed. Cir. 1987). Facts established by rebuttal evidence must be evaluated along with the facts on which the conclusion of a prima facie case was reached, not against the conclusion itself. In re Eli Lilly, 902 F.2d 943, 14 USPQ2d 1741 (Fed. Cir. 1990). In other words, each piece of rebuttal evidence should not be evaluated for its ability to knockdown the prima facie case. All of the competent rebuttal evidence taken as a whole should be weighed against the evidence supporting the prima facie case. In re Piasecki, 745 F.2d 1468, 1472, 223 USPQ 785, 788 (Fed. Cir. 1984). Although the record may establish evidence of secondary considerations which are indicia of nonobviousness, the record may also establish such a strong case of obviousness that the objective evidence of nonobviousness is not sufficient to outweigh the evidence of obviousness. Newell Cos. v. Kenney Mfg. Co., 864 F.2d 757, 769, 9 USPQ2d 1417, 1427 (Fed. Cir. 1988), cert. denied, 493 U.S. 814 (1989); Richardson-Vicks, Inc., v. The Upjohn Co., 122 F.3d 1476, 1484, 44 USPQ2d 1181, 1187 (Fed. Cir. 1997) (showing of unexpected results and commercial success of claimed ibuprofen and psuedoephedrine combination in single tablet form, while supported by substantial evidence, held not to overcome strong prima facie case of obviousness).

Art Unit: 2142

For the reasons above it is believed that the rejection should be maintained.

Respectfully submitted,

Bentley Prieto

B. Prieto
Patent Examiner
GAU 2142

Jack B. Harvey
JACK B. HARVEY
SUPERVISORY PATENT EXAMINER

(SPE Examiner)

Jason Carnow
JASON CARNOWE
PRIMARY EX
AVI 2145
(Conferee Examiner)

Bakers Botts L.L.P.
30 Rockefeller Plaza
New York, N.Y. 10112